A4298

BAY AREA
AIR POLLUTION CONTROL DISTRICT
939 Ellis Street
San Francisco, California 94109
771-6000

INSTITUTE OF GOVERNMENTAL STUDIES LIBRARY
NOV 1977
UNIVERSITY OF CALIFORNIA

ADVISORY COUNCIL

SUBCOMMITTEE ON REGULATIONS CONSISTENCY

Tuesday,
September 20, 1977
10:00 A.M.

939 Ellis Street
San Francisco,
California 94109

M I N U T E S

COMMITTEE MEMBERS PRESENT: William B. McCormick, Chairperson; Shirley J. Campbell, Michael V. Dyett, Jack C. Oppenheimer.

COMMITTEE MEMBERS ABSENT: Walter Toney.

STAFF MEMBERS PRESENT: Edward W. McHugh, Silvia Escamilla.

- - -

Chairperson McCormick called the meeting to order at 10:25 A.M.

APPROVAL OF MINUTES OF SEPTEMBER 12, 1977

The minutes were not available for approval.

CONTINUED DISCUSSION OF FORMAT FOR REGULATIONS STARTING WITH REGULATION 5

Chairperson McCormick stated that at its last meeting the Committee had decided to put an Users Guide at the beginning of each Regulation. Mr. Brattain in comments stated that some Regulations such as Permits depend on Definitions and General Provisions and that it should be specified in each Regulation that other Regulations may apply.

After further discussion, Chairperson McCormick stated that the thirteen Regulations will be indexed as to what they cover.

DISCUSSION OF SEQUENCE OF REGULATIONS

Mr. McHugh requested that discussion on the format for Regulation 5 be deferred, as he intended to incorporate into it the model Regulation on Architectural Coatings. Mr. Brattain invited the Committee to attend the Regulation 5 - Gaseous Pollutants meeting on October 18, 1977 at 9:30 A.M.

Mr. McHugh in comments stated that there will be a new draft for Tankage that will need to be revised.

The Committee continued discussion of the document entitled, Format undated, starting with Regulation 6, Rule 1, Lead. The following changes were made:

§6-1-102 - Exclusions - It was agreed that the following sentence be part of this section.

This section shall not apply to the ground level concentrations occuring on the property from which such emission occurs, provided such property from the emission point to the point of such concentration is controlled by the person responsible for the emission.

§6-1-200 - See Regulation 1 added.

§6-1-300 - Standards - It was agreed that the following sentence be part of this section.

A person electing to be regulated by this Section shall not discharge into the atmosphere any emission of lead, or compound of lead, which results in ground level concentrations of lead in excess of 1.0 ug/m^3 above the background concentrations averaged over 30 days.

Rule 2 - Asbestos

§6-2-103 - Prohibited Operations

(200-204) changed to (200-203)

§6-2-200 - Definitions - added the words, See Also Regulation 1.

§6-2-500 - To read: Monitoring, Recording.

§6-2-501 thru 6-2-503

(601-603) changed to (401-403).

Added: Administrative Requirements - See Regulation 1.

Added: §6-2-600 - See Manual of Procedures (see volume___).

Rule 3 - Emission Standards for Beryllium.

There was discussion regarding the use of Beryllium, and it was suggested that a general statement should be made in the Rule to indicate to persons involved that if toxic substances are being emitted the District wants to know.

Rule 4 - Emission Standards for Beryllium Rocket Motor Firing to read as follows:

§6-4-100 General

§6-4-200 Definitions - Incorporate §6-4-101 and 6-4-102 into this Section.

§6-4-300 Standards

§6-4-301 - Incorporate §6-4-201.

§6-4-400 - 404 - Incorporate §6-4-301 through 6-4-401.

§6-4-500 - Refer to Regulation 1

§6-4-600 - Manual of Procedures

Incorporate §6-4-302 through 6-4-402.

There was discussion regarding rocket firing. It was agreed that a general statement should be put at the beginning of Regulation 6 to remind industry that the District has specific rules with respect to rocket firing and that the APCO should be notified of contaminants emitted. The Committee agreed that 100 series should read, General Provisions.

Rule 5 - Mercury.

§6-5-601 (503) changed to (303)

Regulation 5 - Gaseous Pollutants.

Mr. McHugh presented Regulation 5, Third Draft, dated September 15, 1977. The following changes were made:

It was agreed that paragraphs would be indented and numbered.

Rule 1 to read: General Provisions.

§5-2-100 Descriptions - §§5-1-100 and 5-1-101 to be incorprated into this section.

§5-2-102 Exclusions

§5-1-102.1 renumbered "1" under Exclusions.

§5-1-102.2 renumbered "2" under Exclusions.

§5-1-102.3 renumbered "3" under Exclusions.

§5-1-102.4 renumbered "4" under Exclusions.

§5-1-102.5 renumbered "5" under Exclusions.

§5-1-102.6 renumbered to "6" under Exclusions.

§5-1-102.7 renumbered to "7" under Exclusions.

§§5-1-102.7.1, 5-1-102.7.2, 5-1-102.7.3, 5-1-102.7.4 to be indented under paragraph 7 and changed to read (a), (b), (c), (d).

§5-1-102.7.4 renumbered (d) to read, "The volatile....subsection (d)..."

§5-1-102.8 renumbered to "8"

§§5-1-102.8.1, 5-1-102.8.2, 5-1-102,8.3 changed to (a), (b), (c).

§5-1-102.8.3 renumbered (c) to read, "The organic..... subsection (c)....."

§5-1-102.9 renumbered "9"

§5-1-102.10 renumbered "10"

§5-1-102.11 renumbered "11"

Added: §5-2-103 (312-314)

§5-1-200 changed to §5-2-200 Definitions and sections thereunder renumbered in 200 series.

§§5-1-204.1, 5-1-204.2, 5-1-204.3, 5-1-204.4 renumbered as paragraphs 1, 2, 3 and 4.

§5-1-226 changed to §5-2-226 - Small Business- to read as follows:

Any business which in 1976 sold less than 200,000 gallons of paints and coatings. A business shall not qualify for this exemption if;

(a) It would not be considered a small business, as defined in Subsection (1) of Section 1896 of Title 2 of the California Administrative Code.

§5-1-226.2 renumbered as (b) under §5-2-226.

§5-1-227.1 renumbered "1"

§5-1-227.2 renumbered "2"

§5-1-227.3 renumbered "3"

§5-1-227.4 renumbered "4"

§5-1-231 changed to §5-2-231 - Total carbon - to read:

Total Carbon: Shall be calculated as follows:

Equation to be specified in the Regulation.

§5-1-231.1 - renumbered as "1"

§5-1-231.2 - renumbered as "2"

§5-1-311 - renumbered §5-2-311

§§5-1-311.1, 5-1-311.2, 5-1-311.3 renumbered to, (a), (b), and (c), to read:

(a) Contains more....water, or

(b) Contains more....surfaces; or

(c) Is recommended for use....coating. Interior coatings manufactured after January 1, 1981 may not contain more than 250 grams of volitile organic material per liter of coating as applied, excluding water.

Mr. McHugh presented, Regulation 7 draft dated September 16, 1977. The following changes were made:

Regulation 7, New Plant Performance Standards.

Rule 1 - General.

§7-1-101 Descriptions.

§7-1-300 Standards.

§7-1-200 Notification changed to, §7-1-400 Administrative Requirements.

§7-1-200, A. B. C. D. and E. renumbered to §§7-1-401, 402, 403 404, and 405.

§7-1-201 Records changed to §7-1-500.

§7-1-202 Report of Excess Emissions incorporated in §7-1-400.

§7-1-300 Performance Tests changed to §7-1-500.

Deleted, "and furnish the APCO a written report of of the results of such performance test(s)".

Deleted paragraphs B and C and incorporated in Manual of Procedures. Deleted "The person..... peformance tests." in C.

Paragraph D renumbered §7-1-402.

§7-1-400 Compliance with Standards changed to §7-1-300 - Standards.

Reference to §7-1-300 under paragraph A changed to read, §7-1-500.

Rule 2, Fossil-Fuel-Fired Steam Generators.

§7-2-100 General

§7-2-200 Descriptions

§7-2-300 Emission Standards.

Paragraph A renumbered to §7-2-301 Particulate Matter.

Paragraph B renumbered to §7-2-302 Sulfur Dioxide.

Paragraph C renumbered to §7-2-303 Nitrogen Oxides.

TIME AND PLACE OF NEXT MEETING

10:00 A.M. Monday, September 26, 1977, 939 Ellis Street, San Francisco, California.

The meeting adjourned at 12:15 P.M.

Respectfully submitted,

Silvia Escamilla
Minutes Clerk

SE



Digitized by the Internet Archive
in 2026 with funding from
State of California and California State Library

https://archive.org/details/igsl_minutes-baaqmd-adv-council-reg_1977-09-20

Bay Area
Air Pollution Control District
939 Ellis Street
San Francisco, Calif. 94109
771-6000

JACK LEISTER 4
HEAD LIBRARIAN - IGS
UNIVERSITY OF CA
109 MOSES HALL
BERKELEY CA 94720

FIRST CLASS

A4298

University of California, Berkeley
Institute of Governmental Studies
Library

Sep 20,
1977

IGSL

Minutes / Bay Area Air Pollution Control District, Advisory Council, Subcommittee on Regulation Consistency.

INSTITUTE OF GOVERNMENTAL STUDIES LIBRARY
109 PHILOSOPHY HALL
UNIVERSITY OF CALIFORNIA
BERKELEY, CA 94720

A4298
Sep 20, 1977



INSTITUTE OF GOVERNMENTAL STUDIES LIBRARY
109 PHILOSOPHY HALL
UNIVERSITY OF CALIFORNIA
BERKELEY, CA 94720